

# Material Safety Data Sheet



---

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

---

Vi-Jon Incorporated  
8515 Page Avenue  
Saint Louis, MO 63114

Phone: 314-427-1000  
In Case of Spill Emergency Contact:  
Chemtrec: 1-800-424-9300

**Product Name:** Liquid Personal Lubricant  
**Product Code:** 2P7  
**Product Use:** Lubricant  
**Issue Date:** 07/08/2009  
**Supersedes Date:** None

---

## Section 2: HAZARDS IDENTIFICATION

---

**EMERGENCY OVERVIEW:** Keep out of reach of children.  
Appearance/Odor: Clear, colorless liquid

**Potential Health Effects:** See Section 11 for more information.

**Symptoms of Exposure:**

Inhalation: Low hazard. Mist may cause irritation of the respiratory tract.  
Ingestion: Ingestion of large amounts may cause nausea, vomiting and diarrhea.  
Eyes: May cause irritation to the eyes.  
Skin: low hazard. May cause irritation to the skin.

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Potential Environmental Effects:** See Section 12 for more information.

---

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

Component	CAS#
Glycerin	56-81-5
Propylene Glycol	57-55-6

---

#### Section 4: FIRST AID MEASURES

---

##### Emergency first aid procedures by route of exposure:

- Inhalation:** If symptoms are experienced, remove source of contamination or move victim to fresh air. If affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
- Ingestion:** Do not induce vomiting. If the material is swallowed, get medical attention or advice.
- Skin:** If irritation is experienced, wash with soap and water. If irritation persists, get medical attention.
- Eyes:** Immediately flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, get medical attention.

---

#### Section 5: FIRE FIGHTING MEASURES

---

- Flash Point:** (Propylene Glycol) 99°C (210°C)  
**Method Used:** Not Available  
**Auto Ignition:** (Glycerin) 400°C (752°F)  
**Auto Ignition: (Propylene Glycol)** 371°C (700°F)  
**Flammability Classification:** Not Available

**Extinguishing Media:** Use methods appropriate for the surrounding fire. Consider water spray or fog, carbon dioxide, dry chemical powder, or appropriate foam.

**Products of Combustion:** Upon decomposition this product may emit carbon dioxide, carbon monoxide and/or low molecular weight hydrocarbons.

**Fire Fighting Equipment/Instructions:** Wear protective clothing and equipment suitable for the surrounding fire, including helmet, facemask, and self contained breathing apparatus.

**NFPA Rating (estimated):** Health:1 Fire: 1 Reactivity:0  
**Hazard Scale:** 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

---

#### Section 6: ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions:** For large spills wear gloves, safety glasses and when levels exceed OSHA PEL use appropriate NIOSH approved respiratory protection. Keep unnecessary personnel away. Eliminate all sources of ignition or flammables that may come into contact with a spill of this material.

**Environmental Precautions:** Prevent discharge to open waters.

**Method for Containment:** Absorb spilled liquid in suitable non-flammable inert material such as clay, vermiculite or diatomaceous earth.

**Methods for Clean-Up:** Ventilate area of leak or spill. Use spark-proof tools to sweep or scrape up and containerize in approved chemical waste container. Wash spill area with water.

---

#### Section 7: HANDLING AND STORAGE

---

**Handling:** Keep away from heat, sparks and flame. Prevent contact with eyes. Avoid Ingestion and inhalation.

**Storage:** Keep the container tightly closed and in a cool, well ventilated place.

---

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Exposure Guidelines

Glycerin (56-81-5)  
ACGIH: 10 mg/m<sup>3</sup> TWA  
OSHA: 15 mg/m<sup>3</sup> TWA (Total Dust); 5 mg/m<sup>3</sup> TWA (respirable fraction)

Propylene Glycol (57-55-6)  
AIHA: 10 mg/m<sup>3</sup> TWA

**Engineering Controls:** Normal room ventilation is usually adequate under normal use.

### Personal Protective Equipment (PPE)

**Eye/Face Protection:** None needed under normal use.

**Skin Protection:** None needed under normal use.

**Respiratory Protection:** None needed under normal use.

**General Hygiene Considerations:** Wash hands after use.

---

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**Appearance/Color:** Clear, colorless, liquid.

**Odor:** Not available.

**Physical State:** Liquid

**pH:** 4.7-5.7

**Vapor Density:** (Glycerin) 3.17 (H<sub>2</sub>O=1)

**Vapor Density (Propylene Glycol):** 2.62 (air=1)

**Boiling Point:** (Glycerin) 290°C

**Boiling Point (Propylene Glycol):** 187.9°C

**Vapor Pressure:** (Glycerin) 0.0025 mm Hg @ 5

**Vapor Pressure (Propylene Glycol):** 0.11 hPa @ 20°C

**Melting Point:** Not Available

**Freezing Point (Glycerin)** 20°F

**Flash Point** (see section 5)

**Flammability Properties** (see section 5)

**Solubility** (in water): Miscible

**Specific Gravity @ 25°C:** 1.148-1.188

**Evaporation Rate:** Not Available

**Octanol/Water partition coefficient (K<sub>ow</sub>):** Not Available

**Auto-ignition temperature:** Not Available

**Decomposition temperature:** (Glycerin) 290°C

---

## Section 10: STABILITY AND REACTIVITY

---

**Stability:** Stable under normal ambient temperatures 70°C (21°C)

**Condition to Avoid:** Incompatible materials, excessive heat or sources of ignition.

**Incompatible Materials:** Acetic anhydride, potassium permanganate, strong acids, strong bases, caustics, isocyanates, aliphatic amines and oxidizing agents.

**Hazardous Decomposition:** upon decomposition, this product evolves carbon monoxide, irritating and toxic fumes and gases, carbon dioxide, and/or low weight hydrocarbons.

**Hazardous Reactions:** Hazardous polymerization will not occur.

---

**Section 11: TOXICOLOGY INFORMATION**

---

**ACUTE EFFECTS:****A: General Product information**

Not expected to cause irritation when used in accordance to label.

**B: Analysis LD50/LC50****Glycerin (56-81-5)**

Draize test, rabbit, eye: 126 mg Mild;  
Draize test, rabbit, eye: 500 mg/24H Mild;  
Draize test, rabbit, skin: 500 mg/24H Mild;  
Inhalation, rat: LC50 = >570 mg/m<sup>3</sup>/1H;  
Oral, mouse: LD50 = 4090 mg/kg;  
Oral, rabbit: LD50 = 27 gm/kg;  
Oral, rat: LD50 = 12600 mg/kg;  
Skin, rabbit: LD50 = >10gm/kg

**Propylene Glycol (57-55-6)**

Oral, rat, LD50: 20000 mg/kg;  
Dermal, rabbit, LD50: 20800 mg/kg

**CHRONIC EFFECTS:**

**Carcinogenicity:** ACGIH A4 – Not Classifiable as a Human Carcinogen

**Neurotoxicity:** No information available for product.

**Mutagenicity:** No information available for product.

**Reproductive:** No information available for product.

**Developmental:** No information available for product.

**Target Organs:** No information available for product.

---

**Section 12: ECOLOGICAL INFORMATION**

---

**Ecotoxicity:** (Glycerin 56-81-5)

LC50 96 Hr. Rainbow Trout = 50-67 mg/L  
12 degrees CLC50 (96 Hr.) goldfish = >5000 mg/L

## (Propylene Glycol 57-55-6 )

96 Hr EC50 Selenastrum Capricornutum = 19,000 mg/L  
96 Hr LC50 Oncorhynchus mykiss = 51,600 mg/L [static]  
96 Hr LC50 Pimephales promelas = 51,400 mg/L [static]  
48 Hr EC50 water flea = > 10000 mg/L

---

**Section 13: DISPOSAL CONSIDERATIONS**

---

Dispose of in accordance with federal, state, and local regulations.

---

**Section 14: TRANSPORTATION INFORMATION**

---

This material is not regulated as a hazardous material for transportation.

---

**Section 15: REGULATORY INFORMATION**

---

Glycerin and Propylene Glycol, components of this material, are on the TSCA inventory.

The following components appear on one or more of the following state right to know lists:

Component	CAS#	CA	MA	MN	NJ	PA
Propylene Glycol	57-55-6	Not Available	Yes	Yes	Yes	Yes
Glycerin	56-81-5	No	Yes	Yes	No	Yes

---

**Section 16: Other Information**

---

Prepared by: Vi-Jon Inc.

**Disclaimer:**

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY VI-JON HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this MSDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.